

FIG. 1





FIG. 2



F I G. 3






FIG. 4




652280" 58548E60


F I G. 5



# FIG. 6A



F I G . 6 B



09334585-082799

09384585-082799

FIG. 7 A

IMAGE CHARACTERISTIC  
DATA DURING FIRST  
IMAGE OUTPUT




FIG. 7 B

SPECTRAL SENSITIVITY  
CHARACTERISTICS OF SCANNER  
USED DURING FIRST IMAGE OUTPUT




FIG. 7 C

IMAGE DATA OBTAINED BY  
READING AFTER IMAGE  
QUALITY DETERIORATION




FIG. 7 D

SPECTRAL SENSITIVITY  
CHARACTERISTICS OF SCANNER USED  
FOR READING AFTER IMAGE QUALITY  
DETERIORATION




FIG. 7 E

IMAGE CHARACTERISTIC  
DATA OBTAINED AFTER  
CORRECTION FOR DIFFERENCE  
OF SPECTRAL SENSITIVITY  
CHARACTERISTICS FOR  
IMAGE DATA SHOWN IN  
FIG. 7 C




FIG. 7 F

CORRECTION PARAMETERS OBTAINED  
FOR EVERY BLOCK (DIFFERENCE  
BETWEEN IMAGE CHARACTERISTIC  
DATA (A) AND (E))





FIG. 7 G


CORRECTION PARAMETER  
OBTAINED FOR EACH  
PIXEL



WHEREIN,  $\Delta r_0 = R_0 - r_0$   
 $\Delta g_0 = G_0 - g_0$   
 $\Delta b_0 = B_0 - b_0$




FIG. 8A




093455 08299 58548E60

F I G . 8 B




09384585-082799

F I G . 9 A



09384585 082799

FIG. 9 B



05384585-082799

FIG. 10 A

SPECTRAL SENSITIVITY CHARACTERISTICS OF  
SCANNER USED DURING FIRST IMAGE OUTPUT




FIG. 10 B

SPECTRAL SENSITIVITY CHARACTERISTICS OF  
SCANNER USED AFTER IMAGE QUALITY  
DETERIORATION




FIG. 10 C

CORRECTION OF IMAGE DATA CORRESPONDING  
TO DIFFERENCE OF SPECTRAL SENSITIVITY  
CHARACTERISTICS

